

Item no.: RB941-2ND

RB941-2ND - RouterBoard hAP Lite with 650 MHz, 32 MB RAM

from **23,94 EUR**

Item no.: RB941-2ND
 shipping weight: 0.30 kg
 Manufacturer: MikroTik



Product Description

MikroTik RouterBoard RB941-2nd, hAP lite

The home Access Point lite (hAP lite) is an ideal little device for your apartment, house or office.

It supports button triggered WPS for the convenience of not typing a complicated password when somebody wants to have wireless internet access, and can also be told to change to cAP mode and join a CAPsMAN centrally managed network by the push of a button.

Of course, the device runs RouterOS with all the features including bandwidth shaping, firewall, user access control and many others.

The hAP lite is equipped with a powerful 650 MHz CPU, 32 MB RAM, dual-chain 2.4 GHz onboard wireless, four Fast Ethernet ports and a RouterOS L4 license. A USB power supply is included.

- Product code: RB941-2nd
- CPU nominal frequency: 650 MHz
- CPU core count: 1
- Size of RAM: 32 MB
- 10/100 Ethernet ports: 4
- 10/100/1000 Ethernet ports: None
- MiniPCI slots: 0
- MiniPCle slots: 0
- Wireless chip model: QCA9531-BL3A-R
- Wireless standards: 802.11b/g/n
- Number of USB ports: 0
- Power jack: 1
- Supported input voltage: 5 - 5 V
- PoE in: No
- PoE out: No
- Voltage monitor: No
- PCB temperature monitor: No
- CPU temperature monitor: No
- License level: 4
- Antenna gain DBI: 1.5
- Current monitor: No
- CPU: QCA9531-BL3A-R
- Max. power consumption: 3 W
- SFP ports: None
- SFP+ ports: None
- Number of chains: 2
- Serial port: None

Specifications

**Scan this QR code to
view the product**
All details, up-to-date
prices and availability



