

Item no.: 341201

42001 - External housing for M.2 NVMe PCIe SSD SuperSpeed ??USB 20 Gbps USB Type-C socket

from **74,59 EUR**

Item no.: 341201
 shipping weight: 0.30 kg
 Manufacturer: Delock

M.2 NVMe 20 Gbps



Product Description

External housing for M.2 NVMe PCIe SSD with SuperSpeed ??USB 20 Gbps (USB 3.2 Gen 2x2) USB Type-C (TM) socket - tool-free

This housing by Delock enables the installation of an M.2 PCIe NVMe SSD in 2280, 2260, 2242 and 2230 format, and can be connected to a PC or notebook via USB. The robust metal housing with cooling fins ensures an optimal temperature of the storage unit.

The housing enables a data transfer rate of 20 Gbps at the USB-C (TM) port. The special thing about this case is that no tools are required to install the M.2 SSD.

Specification

- Connections: external: 1 x SuperSpeed ??USB 20 Gbps (USB 3.2 Gen 2x2) USB Type-C (TM) socket; internal: 1 x 67 pin M.2 key M slot
- Chipset: Asmedia ASM2364
- Supports M.2 modules in format 2280, 2260, 2242 and 2230 with key M or key B + M based on PCIe (NVMe)
- Maximum height of the components on the module: 1.5 mm, use of double-sided modules possible
- Supports NVM Express (NVMe)
- Data transfer rate up to 20 Gbps
- LED display for power and access
- Metal housing
- Dimensions (LxWxH): approx. 119 x 46 x 15 mm
- Hot plug, plug & amp; Play

System requirements

- Android 9.0 or higher
- Chrome OS 78.0 or higher
- Linux Kernel 4.6 or higher
- Mac OS 10.15.3 or higher
- Windows 8.1 / 8.1-64 / 10 / 10-64
- PC or notebook with a free USB Type-C (TM) port
- PC or notebook with a free Thunderbolt (TM) 3 port

Package contents

- External housing M.2
- 1 x thermal pad
- Cable USB-C (TM) plug to USB-C (TM) plug, length approx. 30 cm
- Operating instructions

Specifications

**Scan this QR code to
view the product**
All details, up-to-date
prices and availability



