

Item no.: 361881

Delock adapter cable USB type-A to serial RS-232 RJ9/RJ10 with ESD protection Celestron NexStar 2m

22,03 EUR

shipping weight: 0.10 kg Manufacturer: Delock

Product Description

This USB to RS-232 RJ9 / RJ10 adapter cable from Delock is suitable for PC operation of hand control boxes of Celestron telescopes. With the appropriate astronomy applications, the position of the telescopes can be controlled on the computer or a firmware update can be carried out.

- Connectors: 1x USB 2.0 type-A plug, 1x serial RS-232 RJ9 / RJ10 plug

- Chipset: FTDI FT231X
 Chipset: FTDI FT231X
 Plug & Play
 FIFO: 512 byte TX
 FIFO: 512 byte RX
 Compatible with USB 3.0, USB 2.0 and USB 1.1 full speed 12 Mbps

- Data transfer rate up to 230.4 Kb/s
 Signals: RXD(1), GND(2), TXD(4)
 ESD overvoltage protection IEC 61000-4-2, HCP & VCP: ±4 kV, air discharge: ±8 kV, contact discharge: ±4 kV

- Cable length incl. connectors: approx. 2.0 m
 Suitable for various hand control boxes from Celestron

System requirements

- Windows 8.1/8.1-64/10/10-64/11
- PC or notebook with a free USB type-A port

• Adapter cable USB 2.0 Type-A to RS-232 RJ9 / RJ10



Scan this QR code to view the product

All details, up-to-date prices and availability

