

Item no.: USW-LITE-16-POE

USW-LITE-16-POE - UniFi Switch Lite 16 PoE

from 213,99 EUR

Item no.: USW-LITE-16-POE shipping weight: 1.60 kg Manufacturer: Ubiquiti



Product Description

USW-Lite-16-POE - UniFi Switch Lite 16 PoE

The UniFi Switch Lite 16 PoE is a fully managed Layer 2 switch with sixteen Gigabit Ethernet ports for your RJ45 Ethernet devices. Eight ports also offer auto-sensing 802.3at PoE+that provide up to a total PoE wattage of 45 W for UniFi Access Points or other PoE devices.

Managed and configured by the UniFi Network application with UniFi mobile app support, the UniFi Switch Lite 16 PoE offers Layer 2 switching protocols and features. The UniFi Network application and mobile app allow admins to configure and monitor virtually all of the switch features in a graphical user interface from anywhere.

- Dimensions: 191.7 x 185 x 43.7 mm (7.55 x 7.28 x 1.72")
 Weight: 1.2 kg (2.65 lb)

Hardware

- Total non-blocking line rate: 16 Gbps

 Max. power consumption: 15 W

 Power method: Universal AC input, 100 240 V AC

 Power supply: Internal 60 W AC/DC power supply

 Networking interfaces: (16) 10/100/1000 Mbps Ethernet RJ45

 PoE interfaces: (8) PoE+ IEEE 802.3af/at (pins 1, 2+; 3, 6-)

- POE Interfaces: (8) POE+ IEEE 802.3at/at (pins 1, 2+;
 Mangement interface: Ethernet in-band
 Max. PoE+ wattage per port by PSE: 30 W
 Modes: SMB Layer 2 POE Gigabit Ethernet Switch
 Operating temperature: -15°C to 40°C (5°F to 104°F)
 Operating humidity: 10 90% non-condensing
 Certifications: CE, FCC, IC

LED

- System: (1) Power, blue/white; Flashing white: Bootup in progress; Flashing blue: Firmware upgrading; Steady white: Factory defaults, awaiting adoption; Steady blue:
- Device is adopted

 Ethernet: Green: 1G; Amber: 10/100 Mbps

 PoE: Amber: IEEE 802.3af/at

Specifications

