

Item no.: USW-48 USW-48-EU - UniFi 48-Port Gigabit Switch with SFP

from 402,62 EUR

Item no.: USW-48 shipping weight: 5.00 kg Manufacturer: Ubiquiti



Product Description

USW-48 - UniFi 48-Port Gigabit Switch with SFP

UniFi Switch 48 is a fully managed Layer 2 switch with 48x Gigabit Ethernet ports and 4x 1G SFP ports for fiber connectivity.

The UniFi Switch 48 features a rich set of Layer 2 capabilities and fanless, silent cooling for use as an access layer switch. UniFi Network application and UniFi Network mobile app allow admins to configure and monitor virtually all of the switch features in an intuitive graphical user interface from anywhere. Mechanical

- Dimensions: 442.4 x 285 x 43.7 mm (17.42 x 11.22 x 1.72")
- Weight: Without mount: 3.9 kg (8.6 lb); With mount: 3.99 kg (8.8 lb)
 Enclosure characteristics: SGCC steel

Hardware

- Total non-blocking line rate: 52 Gbps
 Max. power consumption: 40 W
 Forwarding rate: 77.376 Mpps
 Power method: Universal AC input: 100-240 V AC, 50/60 Hz
- Power method: Universal AC input: 100-240 V AC, 50/60 Hz
 Power supply: AC/DC, internal, 60 W
 Supported voltage range: 100 240 V AC
 Networking interfaces: (48) 10/100/1000 Mbps Ethernet RJ45 ports; (4) 1 Gbps SFP ports
 Management interface: Ethernet in-band
 Modes: SMB Layer 2 Gigabit Ethernet switch
 Operating temperature: -15°C to 40°C (5°F to 104°F)
 Operating humidity: 10 90% non-condensing
 Certifications: CE, FCC, IC

LEDs

- System: (1) bootup animation: Bootup in progress
 Firmware upgrade icon: Firmware upgrading
 Steady white: Factory defaults, awaiting adoption

- Steady while: Packay actually actually
- SFP: Green: 1G

Specifications



Scan this QR code to view the product All details, up-to-date prices and availability