

Item no.: UACC-LRE

UACC-LRE - Long-range Ethernet Repeater

28,80 EUR

Item no.: UACC-LRE
 shipping weight: 0.50 kg
 Manufacturer: Ubiquiti



Product Description

UACC-LRE - Long-range Ethernet Repeater

The long-range indoor/outdoor repeater (UACC LRE) is a Gigabit adapter that allows you to easily and inexpensively expand your Ethernet network's range. With its 2x GbE RJ45 ports, the UACC LRE can receive 802.3af/at PoE/PoE+ while providing passthrough PoE output. You can also chain multiple UACC LRE adapters together to connect access points and cameras that are far away from your PoE switch. The UACC LRE also offers 10kA+ surge protection and works reliably in extreme temperatures (-40°C to 80°C) to protect your deployment from weather and electrical damage.

Mechanical

- Dimensions: 196.5 x 93.5 x 39 mm (7.7 x 3.7 x 1.5")
- Weight: 350 g (12.3 oz)
- Enclosure material: UV stabilized polycarbonate
- Mounting material: Stainless steel
- Weatherproofing: IPX5

Hardware

- Networking interfaces: 2x GbE RJ45 ports
- Power method: 802.3af/at PoE/PoE+ 2-pairs (pins 1, 2+; 3, 6-)
- Max. power consumption (excluding PoE out): 1.5 W
- Voltage range: 37 to 57 V DC
- PoE interfaces: 1x Passthrough PoE output 2-pairs (pins 1, 2+; 3, 6-)
- ESD/EMP protection: Air/contact: ±30 kV
- DC sparkover voltage: 90 V at 100 V/s
- Max. impulse sparkover voltage: 700 V at 1 kV/?s
- Discharge current: 10 kA+
- Modes: Long-range indoor; Outdoor Ethernet repeater
- Operating temperature: -40°C to 80°C (-40°F to 176°F)
- Operating humidity: 10 - 95% non-condensing
- Certifications: CE, FCC, IC

LEDs

- System: 1x Blue: Power ON
- Ethernet: 2x Green: 1 Gbps, Amber: 10/100 Mbps
- PoE: 1x Amber: Passthrough PoE out

Specifications

**Scan this QR code to
view the product**
All details, up-to-date
prices and availability



