

Item no.: 384547

SS12HV.90.2RS - QuSector S24-12HV-90-2 2x RPSMA

 from **86,18 EUR**

 Item no.: 384547
 shipping weight: 2.50 kg
 Manufacturer: QuWireless


Product Description

QuSector S24-12HV-90-2 offers a 90 degrees, 12dBi gain signal with two RP-SMA 2.4GHz connectors. It is a perfect indoor and outdoor device for industrial installations. QuSector S24-12HV-90-2 is a single band, H&V polarity, MIMO 2x2 panel antenna. Two connectors operate at 2.4GHz with 12dBi gain. Due to its medium gain, it can be used on short or medium distances, for example for hotspots in schools, stadiums, offices or public places. High quality injection moulded enclosure allows to implement it alongside with indoor and IP67 outdoor solutions. The antenna comes with 2*70cm (28inch) cables terminated with Nm, RPSMA, RPTNC connectors. QuSector S24-12HV-90-2 was designed to be a perfect match for your access point. Wi-Fi

SPECIFICATION
 FREQUENCY- 2.3 - 2.7GHz
 GAIN- 14 dBi
 SWR- < 1.80
 BEAMWIDTH- 30°/30°
 POLARIZATION- Horizontal- Vertical
 IMPEDANCE- 50 Ω
 SEPARATION BETWEEN CONNECTORS- > 32dB
 FRONT-TO-BACK- > 30dB
 MAX INPUT POWER- 50W
 DC GROUND- Yes
 MECHANICAL SPECIFICATION
 MATERIAL- ABS
 CONNECTOR- 2xRPSMA
 OUTER DIMENSIONS- 29.2 x 48.6 x 10.6 cm- 11.5 x 19.13 x 4.17 inch
 WEIGHT- 2.5 kg
 OPERATING TEMPERATURE- -40°C to +80°C- -40°F to 176°F
 MOUNTING KIT
 DIMENSIONS- 9.9 x 10.5 x 14.8 cm- 3.9 x 4.13 x 5.83 inch
 REGULATION RANGE- +/- 30°
 MAST DIAMETER RANGE- 25 - 60mm- 0.98-2.36 inch
 MATERIAL- Polyamide with fiberglass + galvanized steel U-Bolts
 MOUNTING PLACE- Wall or ceiling or mast

Specifications

 Scan this QR code to
 view the product

 All details, up-to-date
 prices and availability
