

Item no.: 384552

SS57.14HV.90.2NF - QuSector S57-14HV-90-2 2x Nf

from **112,12 EUR**

Item no.: 384552
 shipping weight: 1.80 kg
 Manufacturer: QuWireless



Product Description

QuSector S57-14HV-90-2 offers a 90 degrees, 14dBi gain signal with two Nf connectors. It is a perfect indoor and outdoor device for industrial installations. QuSector S57-14HV-90-2 Nf is a concurrent, Wi-Fi 6e / 7, H&V polarity, MIMO 2x2 panel antenna. It simultaneously operates at 5.1GHz and 7.125GHz with 14dBi gain. Due to its high gain, it can be used on short or medium distances, for example for hotspots in schools, stadiums, offices or public places. It is a futureproof solution with Wi-Fi 6E and Wi-Fi 7 support. High quality injection moulded enclosure allows to implement it alongside with indoor and IP67 outdoor solutions. The antenna comes with integrated Nf connectors. QuSector S57-14HV-90-2 was designed to be a perfect match for Cambium ePMP 4600L (MIMO 2x2). Wi-Fi SPECIFICATION FREQUENCY- 5.1 - 7.125GHz GAIN- 14 dBi VSWR- < 2.00 BEAMWIDTH- 90°/16° POLARIZATION- Horizontal- Vertical IMPEDANCE- 50 Ω FRONT-TO-BACK- > 25dB MAX INPUT POWER- 50W DC GROUND- Yes MECHANICAL SPECIFICATION MATERIAL- ABS CONNECTOR- 2x Nf OUTER DIMENSIONS- 272 x 276 x 96 mm- 10.71 x 10.87 x 3.78 inch WEIGHT- 1.8 kg OPERATING TEMPERATURE- -40°C to +80°C- -40°F to 176°F MOUNTING KIT DIMENSIONS- 9.9 x 10.5 x 14.8 cm- 3.9 x 4.13 x 5.83 inch REGULATION RANGE- +/- 30° MAST DIAMETER RANGE- 25 - 60mm- 0.98-2.36 inch MATERIAL- Polyamide with fiberglass + galvanized steel U-Bolts MOUNTING PLACE- Wall or ceiling or mast

Specifications

Scan this QR code to
view the product

All details, up-to-date
prices and availability

