

Item no.: SA-5-45-19HV_WM

WiBOX SA M5-45-19HV - 5 GHz, 19 dBi MIMO 2x2 Sector Antenna, Incl. WiMount



from **105,18 EUR**Item no.: SA-5-45-19HV_WM

shipping weight: 3.20 kg Manufacturer: Wireless Instruments

Product Description

WiBOX SA M5-45-19HV - 5 GHz, 19 dBi MIMO 2x2 Sector AntennaWiBOX SA M5-45-19HV is a dual polarity sector antenna (MIMO 2x2) operating at the frequency range of 5.1 -5.85 GHz with 19 dBi gain inboth polarizations. It was designed for creating short and medium rangebase stations. The antenna is integrated into the top-quality WiBOXExtra Large box system. The installation space is 24 x 46 x 5 cm (19,29 x 11,42 x 3,94).

Thebox has IP67 waterproof level, there isenough room to install almost any of the most popular radio equipments. WiBOX Extra Large provides the possibility to integrate the antennasystem with other systems, using the additional connector holes located the bottom of the WiBOX. The waterproof RJ45 connector allows for theuse of the PoE standard without the stressful crimping of the RJ45connector on the installation location (e.g. on the roof or a highmast). The collar around the connectors guarantees the connectors wontget

The WiBOX Extra Large is made from durable plasticmaterial resistant to UV radiation and bad weather conditions. Thespecial reinforced WiMount bracket, made from fiberglass ensures thestability even in the case of strong wind. The WiBOX SA M5-45-19HV worksat both polarisations. It comes with 2x SMA female connector. Features

- Horizontal & vertical polarization 19 dBi of gain
- Wide-band operation
- Outdoor waterproof WiBOX Extra Large
- Big and convenient WiBOX Extra Large for radio equipment installation
- RJ45 waterproof system
- Adjustable tilt pole mount WiMount
- High-quality construction2x SMA female
- DC grounded for lightning protection
- WiMount heavy-duty mounting elementsDesigned for all-weather operation

Applications

- 5 GHz band applications
 IEEE 802.11a WLAN systems
 Base station antennas
 Point to multipoint applications
 Wireless broad band systems
 System integration
 Nstreme protocol
 802.11n/MIMO standard

- Frequency: 5100 5900 MHz
 Gain: 2 x 19 dBi
 Polarization: H&V
 Beamwidth Horizontal: 45°
 Beamwidth Vertical: 8°
 Front to back: N/A
 Port to port isolation: N/A
 VSWR:
 Impedance: 50 ohms
 Connector: RJ45
 Mast Mounting System O: 60 (2,76) mm (inch)
 Waterproof Outdoor BOX: IP67
 Operating Temperature: -40 °C + 70 °C
 Weight: 3 kg
 Dimensions: 490 x 290 x 110 mm (19,29 x 11,42 x 4,33")
 Wind Loading: 70 km/h (43,5 mph)

Specifications

Scan this QR code to view the product

All details, up-to-date prices and availability

